

~~X~~ CACS - 3-I-1970

(1)

AGFA BEPOI's

- 1 Coeloderus spinosus Lam & Maeteraz 1x 0 allotype
- 2 Tabatinga xlitara Lane (Holotype ♂) 1x
- 3 Praxithes angusta Lane (Allotype ♂) 1x
- 4 Satipoella heilipoides (Allotype ♂) 2x
- 5 Scorpionus versutus Lane 2x Holotype ♀
- 6 Zonotylus interruptus Olivier (cwt.) Lane ♀ 1.5x
- 7 Perusia aerea (od. h. in Bret. po) Lane ♂♂ 1.5x
- 8 Xylotrikus pinacopterus ♂♀ (Holo & Allot.) Lane 1.5
- 9 Alphus gouellei Lane ♂♀ (Holo & Allot.) 1.5
- 10 Saperda (= Adesmus) ocellaris Hope cwt ♀ 3x (Oxford)
- 11 Lissonotus tetraspilotus White (cwt) = ~~tetradisignatus~~ ^{Bugnet 3x} Lane
- 12 Chalobline metallica Pascoe (cwt. Lane) 2x
- 13 Coeloderus nicki Lane (cwt. Lane) ♀ 1x
- 14 " speciosus Maller det 1x ♀ (Gouelle)
- 15 Neoeeme opaca Zapw (Holo & Allot.) 1x
- 16 " quinquehincata Zapw (Holo & Allot.) 1x
- 17 Oeme annulicornis var. dubia Melzer (Zapw det) 1x
- 18 Metioeme brevipennis Zapw Holotype 2x
- 19 stenoeeme recki Melzer (cwt. D. Mendes) 2x
- 20 Jabaquara tipmanni Lane (cwt) 2x

C. G. M. 14-III-70

CACS - 3-1-1970

(2)

Anotado em 14-III-70

- (21) Prox. a jabaguara sp. (Arapoti. PR) 2x
- (22) Sphaerome bicolor Holotipo 3x Zapiw
- (23) Atenizus tacennayi Melzer (Zapiw) 3x
- (24) Sphaerome curvirostris Souvella (Zapiw) 3x
- (25) " Sahlbergi Aurivillius (") 3x
- (26) Achnysson foersteri Borg (alio Holotipo) 1x
- (27) " lineolatum Erichson (PERU - Trujillo) Det Borg 1x
- (28) Methia argentina (Bruck det) 3x
- (29) " incanta Goto lane 3x
- (30) Achnysson sumillatum 3x det. Borg.
- (31) Achnysson setosum (det. Zapiw) 2x
- (32) Catoptronotum bipennellatum Zapiw Holotipo 2x

CACS - 3-I-1970

(2)

- (1) Eurymeris quadrimaculata Zapiw Holot. 2x
- (2) " obscurus Prosen Paratipo 2x
- (3) " fenestratus Gomas (Zapiw det) 2x
- (4) " decoratus Melzer (Zapiw e Tipuani det) 1.5x
- (5) " Adigas PERU 1962 - III L. Peña sp.? 1.5x
- (6) " ocellatus Gomas (Zapiw) 2x
- (7) Ectenesse fenestrata Thomson det U. Martins 2x
- (8) Eurymeropsis fuscofasciata (Zapiw) 1.5 Holotipo
(Syn. - det U. Martins) 1.5x
- (9) Eurymeris quadrispina
- (10) Ectenesse villardi Belon (Zellibor) 1.5x
- (11)

Acrotodes 16-III - 1970

- 11 Monrosia mbandine Borg Holot. ♂ $\frac{2}{3}$ | CACS (3)
= Dipogomiris?
- 12 Dipogomiris quadricornutus Jouvelle ♀ (det Bruch, 1921) $\frac{2}{3}$
- 13 Spathopygus eburioides Blanchard (Borg det) $\frac{2}{3}$
- 14 " faculus Jouvelle (Blanchard det) $1\frac{1}{2}$
foco $\frac{2}{3}$
- 15 Mecillopygus debilis Jouvelle (det Bruch) $1.5x$ foco $1.5x$
- 16 Spathopygus obscurus Guérin (Comp. coll. Bruch) 1.5
- 17 Scapanopygus cinereus Jouvelle (det. Bruch) 1.5
- 18 Diploschema mandibularis Fuchs (det Espin) $\frac{2}{3}$
- 19 Praxithra chavantina Lane Holot. ♀ $\frac{2}{3}$
- 20 " travassosi Lane (cwt Lane) $1x$
- 21 " borgmeiri (det Malley) $1x$
- 22 " n. sp. (GO-Vianopolis) - $1x$
- 23 " n. sp. (GO-Vianopolis) - $1x$
- 24 Psygmatoxenus pubescens Bruch $\frac{2}{3}$
- 25 " elegans Lane $\frac{2}{3}$
- 26 Coccoleris sex maculatus Bates (Loreo det) $\frac{2}{3}$
- 27 " novem punctatus $\frac{2}{3}$
- 28 Bothriospyle elegans Anninikins $\frac{2}{3}$
- 29 Metopocilus maubicollis Grille, $\frac{2}{3}$
- 30 " picticornis Helger ♀ & alotipo ♂ Lane $\frac{2}{3}$
- 31 " rojan? Maracá, BA - $\frac{2}{3}$
- 32 " Bananal GO - $\frac{2}{3}$
- 33 " quadrispinosus ♂ ♀ $\frac{2}{3}$
- 34 Pleiarthocerus opacus Bruch ♂ ♀ (Lane det) $\frac{2}{3}$

16-III-70

- 35) Volxemia peabrai Zapiew Holot. 3x (CACCS 4) 3-1-1970
- 36) Hesperophanoscema pirsutum Zapiew Paratipo 3x
- 37) Rhomboidedera ocellicollis Zapiew 1968 det 3x
- 38) " reticulicollis " 1968 det 3x

X 3 CACCS

- 1) Haruspex spinipennis Zapiew 3x Paratipo
- 2) Colynthea grana det Zapiew 2x
- 3) Stizocera pantonyssoides Zapiew (Ho + Holotipo) 2x
- 4) Epimelitta vufotibialis Zapiew Holot- 2x
- 5) allotype of Ophistonus flavocincta D. Zapiew 2x
- 6) ♀ " " Thomson 2x
- 7) allotype Onata collaris Jeville 2x (Zapiew)
- 8) Euryptera rotundipennis Fuchs (det D. Zapiew) 2x
- 9) Eurymerus guttiger Lucas (det Zapiew) 2x
- 10) Ectenusa varians simplicipennis (det Zapiew) 2x
- 11) Neocorydolon bogmeirei Melzer (det Zapiew) 2x
- 12) Onata aeneicollis Aurivillius 2x Zapiew
- 13) " ramulicola Jounelle 2x " det
- 14) Epimelitta triangularis Fuchs 2x " "
- 15) " barbicus Kirby 2x " "
- 16) Paranoveborus plumiger (Olivier) 2x det Zapiew
- 17) Neoclytus impar (Germar) det D. Zapiew 2x
- 18) " magius (Perty) " " 2x
- 19) Mecomitopus festinus (F.) " " 2x

C. Zapiew

- CACS 5
3-1-1970
- 20 Meconotus triangularis Det Zapiw 2x
 - 21 Tropica histropteroides Goun. " " 2x
 - 22 Rhopalophora discoloris Chevrolat " " 2x
 - 23 Parogodes erythrocephalus Aurivillius " " 2x
 - 24 Ozodes sexmaculatus Zapiw det Zapiw 2x
 - 25 Chrysomaris linearis Bats " " 2x
 - 26 " lypocrita Erichson det. " 2x
 - 27 " nigra Bats " " 2x
 - 28 Erythropterus amabilis Melzer var. " " 2x
 - 29 Callideriphus marginatus Zapiw Holot. 3x
 - 30 Rosalba consobrina (Melzer) Zapiw det 3x
 - 31 Desmiphora tsuata Bats Det-Zapiw 3x
 - 32 " alboliniata Br. " " 3x
 - 33 Caecostola brunitarsis Thomson " " 3x
 - 34 Atelodesmus vestita Bur. " " 3x
 - 35 Tristonia capucola (Ex. m. to pegerus) 3x det Zapiw
 - 36 Ecpetaris juncea (Newman) det Zapiw 3x
 - 37 Eupromera spryana Westwood " " 3x

CACS (4) X

CACS (6)

- ① Desmiphora antennalis Br. 2x (Det Zapiew)
- ② Exola albouncta Melz. 2x " "
- ③ " basimaculata Br. 2x " "
- ④ Desmiphora apicata Thoms. 2x " "
- ⑤ " cirrosa var. cucullata Thoms 2x " "
- ⑥ Ischiocenta alternans Aurivillius 2x " "
- ⑦ Erythrochiton nigronigatum Metatipo Zapiew 1.5x
- ⑧ Trachelissa pustulata (Sewille) " " 1.5x
- ⑨ Trachyderes bilineatus Cl. " " 1.5
- ⑩ Olymerus basalis (Dalman) " " 1.5
- ⑪ Gonyacantha rubromipra Thoms " " 1.5x
- ⑫ Aprosopus buqueti Guérin " " 1.5x
- ⑬ Oniderea ullesosa (Gosmar) Det Zapiew 1.5x ♂
- ⑭ Hypsionia simplex Betz " " 1.5x ♂
- ⑮ Desmoderus variabilis (Ses) " " 1x ♂
- ⑯ Diorus bipunctatus White (Arapoti, PR) " " 1x
- ⑰ Hesperophanes inspergatus & obscurus 1x
- ⑱ " subicornis & philippi 1x
- ⑲ Tecladonis tylonotoides Souelle 2x
- ⑳ Captrotonotum bipunctatum Allotipo 2x
- ㉑ Hesperophanoschema hirsutum Holotipo ♂ 3x
- ㉒ " " Allotipo ♀ 3x
- ㉓ Dioridium hirsutum Holotipo 2x

Aracido 18-III

- (24) Hoplogrammicusum spinamosum Gounelle 1.5 x CACS (7)
 - (25) Anoplomenus ~~sp. det.~~ ^{bucquetii} Ballon (Boyd det) 1.5
 - (26) Grammicosum maculicornis 1.5
 - (27) " nigricollis 1.5
 - (28) " floripanicum 1.5
 - (29) Eusapia rubiginosa Gounelle 1.5
 - (30) Machipanus decoratus Gounelle 1.5
 - (31) Stromatium fulvum Villiers 1.5
 - (32) Phymatoderus bizonatus Blanchard 1.5
 - (33) Opades costifera Waterhouse 1.1/4
 - (34) Grammicosum minutum Blanchard 3x
 - (35) Ranquelis Gounellei Boyd (Holstipo) 2/3
 - (36) " mus Gounelle 2/3 x
 - (37) Styliceps sericata Parosel 1x
 - (38) Eburia albolineata (Venezuela) Alotipo Zapico 1x
- ~~_____~~ x CACS 5 4-1-1970

- (1) Eburia ^{com} sobrina ^{prival} ~~F.D.~~ (Cuba) 1x
- (2) " cubae Fisher (Fisher det) 1x
- (3) " didyma Olivier (Cuba) 1x
- (4) " lanigera Finell (Galapagos) 1x
- (5) " cornuta Anisikins (Boyd det) 1x 39
- (6) " brevispinis 1x
- (7) " haldemani 1x
- (8) " longicollis Bates 1x
- (9) " decora Holstipo Zapico ex

- Cals 8
- 10 Eburia spinosa Holotypus Zapais 2x
 - 11 " angusticollis Holotypus " 2x
 - 12 Tumiditarsus vicatricosus " " 2x
 - 13 Cupanoschelis heteroclitus Zouelle 1.5x ♀ ♂
 - 14 Fronida sp.? N. Teutonia 1.5
 - 15 " trilineata Aurivillius 1.5 ♂ ♀
 - 16 Eburia meiverti Aurivillius 1.5
 - 17 " quadrigeminata (Buenos Aires!) 1.5
 - 18 " quadrilineata (Mto Jorono loxim) 1. 1/4
 - 19 " pilosa Erichson (PERU) 1. 1/4
 - 20 " nigricans Zouelle (Bananeiras 90) 1. 1/4
 - 21 " quadri-notata Latreille (Ecuador) 1. 1/4
 - 22 " semipubesceus Thomson (Venezuela) 1. 1/4
 - 23 " sex-notata (Saba RA) 1. 1/4
 - 24 " rordida (styo del Estero RA) 1. 1/4
 - 25 " pedestris White (Am. Central) 1x
 - 26 " stigma Olivier (Cuba) 1x
 - 27 " stigmatica Chevrolat 1x
 - 28 " ulkei Bland (USA) 1x
 - 29 Eburidacrys pickeli Melzer 1x
 - 30 " lancei Zapais Holot. 1x
 - 31 " vittata ♂ ♀ 1x
 - 32 " longilineata 1x
 - 33 " " (Cubaensis?) 1x (Pesuhibe, SP)
 - 34 " punctipennis (det Lane) 1x (" ")
 - 35 " crassimana Zouelle det Zapais (Arapoti PR)
 - 36 " lugubris e semimigra

37 E. quadrinotata 1x
 38 E. macbrati Holot. 90 + Paratop 1x

- ① *Eburodacrys amazonica* Melzer 1x
- ② " *fortunata* Lamere 1x
- ③ " *laevicornis* Bates 1x
- ④ " *sexguttata* Lamere 1x
- ⑤ *Ouroptera vidua* Lacordaire 1x (alotipo Zapin)
- ⑥ *Eburodacrys truncata* Fuchs 1x
- ⑦ " *quadrilineata* Bruch (CWT-Viana) 1x
- ⑧ " *ocellata* Stahl 1x
- ⑨ " *stahli* (det Melzer) 1.5x
- ⑩ *Centrocercus lirimiceps* Esq (Paratipo) 2x
- ⑪ " *richteri* Bruch (Bruch det) 2x
- ⑫ " *exornatum* New. (Zapin det) 2x
- ⑬ *Elaphidion fasciatum* Fisher (det Fisher) 2x
- ⑭ " *quadrituberculatum* (" ") 2x
- ⑮ " *elegans* Nadman 2x
- ⑯ " *sericeatum* ~~Haldeman~~ 2x
- ⑰ " *lanatum* Chevrolat 2x } luka
- ⑱ " *guttiventris* " 2x
- ⑲ " *spinicosus* Fairmaire 2x
- ⑳ " *signaticolle* Chevrolat 1.5
- ㉑ *Phoracantha semipunctata* (F) (S. lat. Melzer) 1.5x
- ㉒ *Orion brunneum* Guérin 1x
- ㉓ " *patagonum* " 1x
- ㉔ *Nyssicus aureopilosus* Lasiey 1x
- ㉕ " *conspicillatus* Frickson 1x
- ㉖ *Protospheerion signatipennis* Gounelle 1x
- ㉗ *Nyssicus quadrimus* Bates orig 1x

- 14-III-70
- (28) *Sphaerion cassum* Newman det Zapru 1x | CACS (10)
 - (29) " *exutum* (det Lane 1956) 1x
 - (30) " *lentiginosum* + *cassum* ♂ Lane det 1x
 - (31) " *myrrheum* from *sustium* Burm. 1x
 - (32) " *sladeni* Jahan 1.5
 - (33) *Nyssicostylus* ~~var~~ *virillii* Melzer 4.5
 - (34) *Nephalis apicatus* Line' (Zapru) 1.5x
 - (35) *Nyopteryx spinigera* Blanchard (Zapru) 1.5
 - (36) *Nephalis diabolius* Lamere (Zapru) 1.5
 - (37) " *dubius* Lane Holotype 1x ♀
 - (38) " " " Paratype ♂ 1x Lane

~~X~~ CACS 7 - 4-I-1970

- 13-III-70
- (1) *Nephalis blandus* Newman 1x
 - (2) *Eurythoea obliqua* Serville 1x
 - (3) *Nephalis amictus* Newman 1x
 - (4) " *flavipes* Gounelle 1x
 - (5) " *serius* Newman 1x
 - (6) " sp? Castimbo PA 1x
 - (7) " sp? Obidos PA 2x!
 - (8) *Trichophorus proximus* Berg (CWT. Borg) 2x
 - (9) " *lucius* Berg (CWT Bruch) 1.5
 - (10) " *albomaculatus* Burm. (det Bruch) 1.5
 - (11) " n. sp.? *cera* & *interrogationis* 1.5 (Stgo Estro. RA)
 - (12) " *interrogationis* Blanchard 1x
 - (13) " *electus* Jahan 1x
 - (14) " *albomaculatus* *cera* 1x
 - (15) " *lippus* Germar *cera* 1x
 - (16) " *distinctus* Newman *cera* 1x

- 17 - Peribœum latericum + oculatum + pauispinum / CAES (11)
- 18 " pubescens + Stizocera vicina + rapidum ^{1x} _{det Zapiw} 1x
- 19 " terminatum = acuminatum Thomson 1x.
- 20 " umbrosum + wagneri + vicinum (det Borg) 1x
- 21 Stizocera biniqrata Zapiw (Holo ♂ o Alog) 1x
- 22 " nigroflava " (Holot.) 1.5x
- 23 " Boyi Melzer (CWT Zapiw) 1.5x
- 24 " laevigata Zapiw (Metatipo ♂ fuozepiruhoe Sooretama) ₅₁ 1.5x [♀]
- 25 " conobrina Gounelle (Zapiw) 1.5x
- 26 " gemiculata Paroe (Zapiw) 1.5x
- 27 " horni Melzer (Zapiw det) ~~1.5~~ x
- 28 " lissonota Bates (Zapiw) 2x → Mangabeira PA
- 29 " " (Laue com en Washington DC) 2x
PANAMA - CZ
- 30 " rugicollis (La Chorrera AM-CENTRAL) 2x
- 31 " poeyi (La Chorrera " ") 1x
Bolivia (Ichilo, Stacruz) - Rio Branco ACRE
- 32 " phithiria Gounelle 1x (Zapiw) -
- 33 " armata Seville 1x
- 34 " pluricollis Germar 1x
- 35 " tricolor Gounelle 1x
- 36 " tristis Guerin 2x
- 37 Pantonyssus niquieri Bates (Zapiw) 2x
- 38 Apoophæron longicollis Bates (Zapiw) 2x

Anotado em 13-III-70

C. M. G. in 14-III-70

- ① Paramallocera pilifera Erichson 2x (Ecuador)
- ② " angusticollis Bats 1.5 (Ecuador - Quito)
- ③ " fulvoterminalis ♂ (♀ CWT) CHACO ARGENTINA 1.25
- ④ " hirta (♂ ♀) 1x
- ⑤ " oblita lamerei (det Borg) 1.25
- ⑥ " nicolai Aurivillius (" ") 1x
- ⑦ " sordida Erichson? (Venezuela) 1.5x
- ⑧ " ? " (Peru - Oxapampa W&W) 1.5x
- ⑨ " Van Borg (det Borg) 1x
- ⑩ Mallocera opulenta Newman 1x
- ⑪ " amazonica Bats 1x
- ⑫ " pickeli Melzer 1x
- ⑬ " hilare + umbrosa 1x
- ⑭ " ramosa Jouanille det Borg & Fuchs 1x
- ⑮ " dana ~~et ramosa~~ det Lane 1x
- ⑯ Appula lateralis + pericantula 1x
det Zapiew det Lane
- ⑰ Ironeus pulcher Bats 1.5x (Bolivia - Sta Cruz)
- ⑱ Haruspex cristatus Zapiew Holotype 3x
- ⑲ Pyrgote flavipennis Zapiew Holotype 3x
- ⑳ Terpnissa listroptera Bats (Zajawa) 3x
- ㉑ Haruspex inermis Belon 3x (") 3x
- ㉒ " inermis " 3x (det Zeller!) 3x
- ㉓ Piezocera araujo-nivai Melzer (det Borg) 3x
- ㉔ " birotata det Lane 3x
- ㉕ " nodicollis Melzer (Zajawa) 3x
- ㉖ Pyrgote aeneus Bats (Zajawa) 3x
- ㉗ Haruspex pumilus Bats (") 3x

Quadrado em 14-III-70

- 28 Haropex quadei pustulatus Journ. (Zajuw) 3x CACS (13)
- 29 " rubiginosus Thomson (Zajuw) 3x
- 30 " ruficauda Gounelle (") 3x
- 31 " spinipennis Zajuw (Holotyp.) 3x
- 32 Hemilimon cornuta Bates (Zajuw) 3x
- 33 " quadrispinosa Journ. (") 3x
- 34 " sulvicollis Bates (") 3x
- 35 Colynthea grossa Thomson (") 2x
- 36 Hemilimon cornuta Bates 2x (Zajuw) 2x
- 37 " quadrispinosa Gounelle (Det. Bosq) 2x
- 38 " grunosa (Bosty) (Det. Bosq) 2x

CACS 9-4-I-1970 X

- 1 Cheloderus childreni Gray 1x (Bosq)
- 2 Oxytelus quadei spinosus Blanch 1x (")
- 3 Tantarus concinnus (Philippi) 1x (")
- 4 Sibylla cementsii Thomson 1x (")
- 5 " integra Fairmaire 1x (")
- 6 " flavosignatus " 1x (")
- 7 adabus crassicornis " 1.5 (")
- 8 Phantagoderus frenatus " 1.5 (")
- 9 Callisphyris annulata + macrognus 1x
- 10 " asphalticus + concolor 1x
- 11 " moloskoides + odyneroides 1x
- 12 " pretai (Paratipo) + testaceiceps 1x
- 13 " semicaligatus 1x
- 14 " vespa 1x
- 15 Atelopteryx compressicoides fac. 1x
- 16 Hephestion vernicolor + flavicornis 1x
- 17 Tetrasylon curvicolle Homotipo 2x

- 18 - *Tetraplon caudatum* Auerwilius (U Martin) CACS (14)
 - 19 - " " nigricorne Bruch (Homeotips) 2x
 - 20 - " *sahlbergi* Auerwilius (U Martin) 2x
 - 21 *Gnomidolon subeburneum* White (") 2x
 - 22 *Octoplon pulcherrimum* Allotips (" ") 2.5 x (foco 2x)
 - 23 *Ibidion baritae* Holotips 2.5 x (foco 1.5)
 - 24 *Gnomidolon pygmaeum* " 1.5 - omeos
 - 24 *Ibidion woodstini* "
 - 25 *Gnomidolon melanorum* (CWT - U Martin) 1.5
 - 25 *Hexoplon bucki* Metatips
 - 26 *Heterachthys xenocera* 2x Holotips
 - 27 *Phormesum albinum* ♀ 2x + *eudemoides* unim 2x
 - 27 *" quadrinotata* Thomson (UM) 2x
 - 28 *"* Holotips 2x
 - 29 *Oprichidion flavovinctum* Holotips 2x
 - 30 *Engyram virgulatum* Bates 3x
 - 31 *Cycnidolon approximatum* White 3x
 - 32 *" guimaraensi* Holotips 3x
 - 32 *" bimaclatum* " 3x ♂
 - 33 *" phormesioide* " 3x
 - 34 *" minutum* " 3x X
 - 35 *" unoculum* (Bates) 3x X
 - 36 *" equa* Thomson 3x X
 - 37 *" gounellei* Allotips 3x X
 - 38 *"* X
- [CACS (10) 4-I-1970]
- 1 *" gounellei* Homeotips 3x X X
 - 2 *Hexiocycnidolon vulcanoi* Holotips 2x X
 - 3 *Bomanibidion angusticollis* 2x
 - 4 *Bomanion deansor* ? 2x
 - 5 *"* " ? 2x
 - 6 *Perissomerus alvarensis* Holotips 2x
 - 7 *" ruficollis* " 2x

Falkner
Faltan

Auerwilius

- 8 Perissomerus lenkoi Martins Metatipo 2x
- 9 " litaloci Gounelle cwt 2x
- 10 Oydax stramineus Lac. 2x
- 11 Heterachthes muticus Metatipo 3x
- 12 Bomaridion longitarsis Holotipo 3x
- 13 Hormathus pulchus Holotipo 3x
- 14 Bomarium biocostatum Holotipo 3x
- 15 Heterachthes plagiatum ? Burm. 3x (UM.)
- 16 " belleus Gounelle 3x (UM)
- 17 " sex-signatus Thoms 2x (?UM)
- 18 " ebenus Newman 2x (UM)
- 19 " inca Holotipo 2x
- 20 " tenellum Burm. (?UM) 2x
- 21 " bonariense Thoms. (UM) 2x
- 22 " flavicornis Thoms. (UM) 2x
- 23 " dirivagrophemi Paratipo 2x
- 24 " mediocostatus Holotipo 2x
- 25 " lefebvrei Gounelle (UM) 2x
- 26 " involutus Bates 2x (UM)
- 27 " chapadensis Gounelle 2x
- 28 " dimidiatus Thomson 2x
- 29 " deliculus Bates 2x (?UM)
- 30 Dodecaibidion branlicense Holotipo 2x
- 31 " " Paratipo 2x
- 32 Heterachthes subcundulus Gounelle 3x
- 33 " quadrifoveolatus (Chabullac)? UM 1.5x
- 34 " andreae (Germar) 1.5x UM
- 35 Gnomidolon elegantulum Lameere 2x
- 36 " seabrai Holotipo 2x
- 37 " nympha Thomson (det Lane) 2x

38 Gnomidolon venians Gounelle 2x
 39 " ornaticolle Holotipo 2x

MAR 20 - 1978
 over 15