

1. *Pseudoplon ovalatum* Martins, holótipo
2. *Borboluta*.
3. " "
3. " (ventrae)
2. " (ventrae)

- x -

1. *Pseudoplon ovalatum* Martins, holótipo (2x)
2. *Trichoplon extremum* (Martins, 1959) - p. 67 (1,5x)
3. *Epacroplon cruciatum* (Auriv., 1899) - p. 55 - comp. c/ tipo (~~1,5x~~) 2x
4. *Ophthalmoplon diversum* Martins, 1965 - p. 32 (3x)
5. " *inermis* Martins, 1965 - p. 34 (3x)
6. " *spinosum* Martins, 1965 - HOLOTIPO - p. 30 (3x)
7. *Neosquomidolon pereirai* (Martins, 1960) - HOLOTIPO - p. 40 - (3x)
8. *Notospharidion brevithorax* (Martins, 1960) - HOLOTIPO - p. 46 - (2,5x)
9. " *scabrosum* (Goun., 1909) - comp. c/ tipo - p. 49 - (2,5x)
10. *Ctenoplon x-littera* (Thoms., 1865) - comp. c/ tipo - p. 61 - (2,5x)
11. *Glyptouridion quincunx* (Thoms., 1867) - (2,5x)
12. *Glyptoscapus cicatricosus* (Auriv., 1899) - comp. c/ tipo (2,5)
13. " *pallidulus* (White, 1855) - (2,5x)
14. " *vanettii* Martins, 1959 - (2,5x)
15. *Hexoplon armatum* Auriv., 1899 - (2,5x)
16. " *lucidum* Martins, 1962 - (2,5x)
17. " *albipenne* Bates, 1872 - (2,5x)
18. " *calligrammum* Bates, 1875 - (2x)
19. " *bucki* Martins, 1967 (2x)
20. " *uncinatum* Goun., 1909. (2x)
21. " *carissimum* (White, 1855) (2x)
22. " *praeternisum* Bates, 1870, VAR. (2x)
23. " " " " (2x)
24. " " " " (2x)
25. " *junco* Thoms., 1865 - (2x)
26. " *aximum* Auriv., 1899 (1,5x)
27. " *Reinhardtii* Auriv., 1899 (2x)

28. *Hexoplon leucostictum* Martins, 1959 - PARATIPO - (2x)
29. " *anthracinum* Martins, 1967 - " (2x)
30. " *rosalesi* Martins, (parte VI) - " (2x)
31. " *denastomoides* Thomson, 1867 - (2x)
32. " *s. speciosum* Fisher, 1937 - (2x)
33. " *speciosum ferruginosum* Martins, 1959 - PARATIPO (2x)
34. " *nigrilarse* Auriv., 1899 - (2x)

— x —  
FILME N° 2

- 1, 5  
4 1/2 *Hexoplon nigrilarse* VAR. Auriv., 1899 - (2x)
1. *Hexoplon offine* (Thoms., 1865) ~~(2x)~~ (1,5x)
  2. *Hexoplon nigricolle* Gounelle, 1909 (2x)
  3. *Euomidolon melanosomum* Bates, 1870 (2x)
  4. " *maculicoene* Gounelle, 1909 (2x)
  5. " *conjugatum* (White, 1855) (2x)
  6. " *humerales* Bates, 1870 (2x)
  7. " *insigne* Martins, 1967 (2x) HOLOTIPO
  7. " *insigne* Martins, 1967 (2x)
  8. " *picipes* Bates, 1870 (3x)
  9. " *subfasciolatum* Martins, 1967 (3x) PARATIPO
  10. " *cingillum* Martins, 1967 (3x) ~~(2x)~~
  11. " *primarium* Martins, 1967 (3x) PARATIPO
  12. " *analogum* Martins, 1967 (3x) PARATIPO
  13. " *bipartitum* Gounelle, 1909 (3x)
  14. " *gracile* (Gounelle, 1909) (3x)
  15. " *cruciferum* (Gounelle, 1909) (3x)
  15. " " " (3x) VAR.
  16. " *rubricolor* Bates, 1870 (3x)

17. *Euomidolon glabratum* Martins, 1962 (2x)
18. *Euomidolon pulchrum* Martins, 1960 (2x) PARATIPO
18. *Euomidolon pulchrum* Martins, 1960 (2x) VAR.
19. " *pictum* (Serville, 1834) (2x)
20. " *basicoeruleum* Martins, 1962 (2x) PARATIPO
21. " *elegantulum* Lameere, 1885. (2x)
22. " *brethesi* Bruch, 1908 (3x)
23. " *nympha* Thoms., 1865 (3x)
24. " *grantsaui* Martins, 1967 (3x)
25. " *insuticola* Bates, 1885 (3x)
25. " " " 1885 (3x) forma "sabrai"
26. " *simplex* (White, 1855) (3x)
27. " *peruvianum* Martins, 1960 (3x) PARATIPO
28. " *laetabile* Bates, 1885 (2x) PARALECTÓTIPOS
29. " *biarcuatum* (White, 1855) forma típica (2x)
29. " " " VAR. (2x)
30. " *orzuaticolle* Martins, 1960 (2x) PARATIPO
31. " *musivum* (Er., 1847) (2x)
32. " *proximum* Martins, 1960 (2x) PARATIPO
33. " *pallidicauda* Gounelle, 1909 (2x)

— x —

✓ FILME N° 3

- 2/3. *Euomidolon varians addictum* Melzer, 1935 (3x)
1. *Euomidolon v. varians* Goun., 1909 (3x)
2. " *oeax* Thomson, 1867 (2x)
3. " *proseni* Martins, 1962 (3x) HOLOTIPO
4. *Euomidolon hamatum* Linsley, 1935 (2x)

5. *Guoniadolon pilosum* Martins, 1962 - PARATIPO - (2x)
6. " *guianense* (White, 1855) (2x)
7. " *gounellei* Martins, 1967 - (2x) PARATIPO
8. *Hexocyridolon oroculum* (Bates, 1870) (2x)
9. *Tetroplon c. caudatum* Auriv., 1889 (2x)
10. *Tetroplon caudatum nigricornis* Bruch, 1926 (2x)
11. *Tetraibidion aurivillii* (Goun., 1909) (2x)
12. " *ephimerum* Martins, 1967 (2x)
13. " *sahlbergi* Auriv., 1889 (2x)
14. *Prouoplon rubriceps* (Goun., 1909) (2x)
15. *Tropidion rubricatum* (Goun., 1909) (2x)
16. " *epaphum* (Berg, 1889) (2x)
17. " *breviusculum* (Thoms., 1867) (2x)
18. *Minibidion punctipenne* Martins, 1968 - (2x) HOLOTIPO
19. *Xerobidion unicolor* (White, 1855) (3x)
- 20. *Arthebidion hirtellum* (Goun., 1913) (3x)
21. *Minibidion bondari* (Melzer, 1923) (3x)
22. " *minusculum* (Martins, 1962) PARATIPO (3x)
23. " *rurigena* (Goun., 1909) (3x)
24. " *confine* Martins, 1968 (3x) PARATIPO
25. " *aquilonium* Martins, 1968 (3x) "
26. *Tropidion sipolisi* (Goun., 1909) (3x) Forma tipica. (3x)
26. " " " (3x) Forma holiki. (3x)
27. " *zouapterum* (Martins, 1962) (3x)
28. " *fusipenne* (Goun., 1913), (2x)
29. " *castaneum* Martins, 1968 (2x)
30. " *rusticum* (Goun., 1909) (2x)
31. " *periboeoides* (Thomson, 1867) (2x)
32. " *atricolle* (Martins, 1962) (2x)
33. " *xanthocellu* (Martins, 1962) (2x) PARATIPO

34. *Tropidion flavipenne* (Martius, 1962) (1,5x) HOLOTIPO
35. " *flavum* (Martius, 1962) (2x) PARATIPO
36. " *intermedium* (Martius, 1962) (2x)
37. " *citrinum* Martius, 1968 (2x) PARATIPO

— x —  
✓ FILME N° 4

- 1/2. *Tropidion* *brunniceps* Thoms., 1865 (2x)
1. " *kjellanderi* Martius, 1968 (2x) - PARATIPO
2. " *baefourbrownei* Martius, 1968 (2x) "
3. " *acanthotum* (Martius, 1962) (2x) "
4. " *signatum signatum* (Fers., 1834) (2x)
5. " *subcruciatum* (White, 1855) (1x)
6. " *elegans* (Goun., 1909) (3x)
7. " *persimile* (Martius, 1960) (3x)
8. " *signatum punctatum* Martius, 1968 (1,5x)
9. " *vicinum* Gounelle, 1913 (2x)
10. " *contortum* Martius, 1968 (2x)
11. " *obesum* Martius, 1968 (1,5x)
12. " *personatum* (Goun., 1909) (2x)
13. " *pictipenne* (Martius, 1962) (2x)
14. " *pulvinum* Martius, 1968 (2,5x) PARATIPO
15. " *salamis* (Thomsen, 1867) (2,5x)
16. " *investitum* (Martius, 1962) (2x) PARATIPO
17. " *signeicolle* (Martius, 1962) (2x) HOLOTIPO
18. " *flavipes* (Thomsen, 1867) (2x)
19. " *fairmairei* (Gounelle, 1909) (2x)
20. " *silvestre* (Martius, 1965) (2x) HOLOTIPO
21. " *inermis* (Martius, 1962) (2x) HOLOTIPO
22. " *centrale* (Martius, 1962) (2x)
23. " *hermione* (Thomsen, 1867) (2x)

24. *Tropidion* ✓ *calciops* (Thoms., 1867) (2x)  
25. *Tropidion* ✓ *batesi* Martins, 1968 (2x)  
26. " ✓ *mirabile* Martins (parte VI) (2x)  
27. " ✓ *superrotatum* (Gounelle, 1909) (2x)  
28. " ✓ *biluberculatum* (Serv., 1834) (2x)  
29. " ✓ *praecipuum* Martins (parte VI) (2,5x) HOLOTIPO  
29 30. " ✓ *festivum* (Martins, 1962) (2x) PARATIPO  
30 31. " ✓ *validum* (Martins, 1962) (2x) HOLOTIPO  
31 32. *Opacibidion* ✓ *sulcicornis* (White, 1855) (1,5)  
32-33. " ✓ *opacicolle* (Melzer, 1931) (1,5x)  
33. *Homaloidion* ✓ *pinacopterum* (Martins, 1962) (1x)  
34. *Palaibidion* ✓ *leucogramma* (Perty, 1832) (1,5x)  
35. *Diasporidion* ✓ *duplicatum* (Goun., 1909) (1,5x)  
36. " ✓ *argentinense* (Martins, 1962) (1,5x)  
37. *Smaragdion* ✓ *viride* Martins, 1968 (1,5x)

✓ FILME N° 5

- 1/3. *Thoracibidion* ✓ *flavopictum* (Perty, 1832) (1,5x)  
1. " ✓ *lineatocolle* (Thoms., 1865) (2x)  
2. " ✓ *franzae* Martins, 1968 (2x) PARATIPO  
3. " ✓ *io* (Thoms., 1867) (2x)  
4. " ✓ *striatocolle* (White, 1855) (2x)  
5. " ✓ *ruficaudatum* (Thoms., 1865) (2x)  
6. " ✓ *tomentosum* Martins, 1960 - (2x) PARATIPO  
7. " ✓ *fasciiferum* (Berg, 1889) (2x)  
8. " ✓ *terminum* Martins, 1968 (2x) PARATIPO  
9. " ✓ *buqueti* (Thoms., 1867) (2x)  
10. " ✓ *pleurostictum* (Bates, 1885) (2x)  
11. *Perissomerus* ✓ *hilairei hilairei* Goun., 1909 (2x)  
12. " ✓ " *binaculatus* Goun., 1909 (2x)

13. *Perissomerus* ✓ *ruficollis* Martins, 1961 (2,5x) PARATIPO  
 14. " ✓ *dasytes* Martins, 1968 (2,5x) PARATIPO  
 15. *Megapedion* ✓ *lefebvrei* (Goun., 1909) (2,5x)  
 16. *Euomibidion* ✓ *armaticolle* (Martins, 1965) (2,5x)  
 17. " ✓ *digammum* (Bates, 1870) (1,5x)  
 18. " ✓ *cylindricum* (Thoms., 1865) (1,5x)  
 19. " ✓ *fulvipes* (Thoms., 1865) (1,5x)  
 20. " ✓ *denticolle* (Daeman, 1823) (1,5x)  
 21. " ✓ *translucidum* (Martins, 1960) (1,5x) HOLOTIPO  
 22. *Neotropidion* ✓ *nodicolle* *nodicolle* (Dalm., 1823) (1,5x)  
 23. " ✓ " *binoculare* (Goun., 1909) (1,5x)  
 24. " ✓ *pulchellum* Martins, 1968 (1,5x) PARATIPO  
 25. *Alcyopia* ✓ *cyanoptera* Pasce., 1866 (1,5x)  
 26. " ✓ *chalcea* Bates, 1874 (1,5x)  
 27. " ✓ *nigrovittata* Goun., 1909 (1,5x)  
 28. *Phocibidion* ✓ *erythrocephalum* (White, 1855) (2,5x)  
 29. *Ibidion* ✓ *comatum* Serv., 1834 (2,5x)  
 30. *Brechmoidion* ✓ *exicisiformis* (Martins, 1960) (1,5x) PARATIPO  
 31. *Prothoracibidion* ✓ *plicatithorax* Martins, 1960 (1,5x)  
 32. " ✓ *flavozonatum* Martins, 1960 (1,5x)  
 33. *Rhyzium* ✓ *bi-maculatum* Pasce., 1866 (2x)  
 34. " ✓ *bivulneratum* (Thoms., 1867) (2x)  
 35. " ✓ *guttiferum* (Thoms., 1867) (2x)  
 36. *Ophthalmibidion* ✓ *tetrops* (Bates, 1870) (2x)  
 37. *Bomaribidion* ✓ *anjusticolle* (Gounelle, 1909) (2x)

— x —  
 ✓ FILME Nº 6

- ✓ 1/4. *Bomaribidion* *anjusticolle* (Goun., 1909) (2x)  
 ✓ 1. *Ophthalmibidion* *tetrops* (Bates, 1870) (2x)  
 ✓ 2. " *hirsutum* Martins, 1969 (2x) PARATIPO

- ✓ 3. *Megaceron antennicrossum* (Martius, 1960) (2x) PARATIPO
- ✓ 4. " *australe* (Martius, 1960) (2x) PARATIPO
- ✓ 5. *Neoctoplon brunnipenne* (Martius, 1960) PARATIPO (2x)
- ✓ 6. " *brunnipenne* (Martius, 1960) ♀ (2x)
- ✓ 7. *Coleroxidion cingulum* Martius, 1969 (3x) PARATIPO ♀
- ✓ 8. " *leucotrichum* (Martius, 1960) (3x) ~~PARATIPO~~ HOLOTIPO ♂
- ✓ 9. *Compaibidion capixaba* (Martius, 1962) (3x)
- ✓ 10. " *campestre* (Goun., 1909) (3x) (ex. claro)
- ✓ 10. " *campestre* (Goun., 1909) (3x) (ex. escuro)
- ✓ 11. " *ilium* (Thomson, 1864) (2,5x) ♂
- ✓ 12. " *paulista* (Martius, 1962) (2,5x) ♀ PARATIPO
- ✓ 13. " *nigroterminatum* (Martius, 1965) ♂ (2,5x)
- ✓ 14. " *monnei* Martius, 1969 (2,5x) HOLOTIPO ♂
- ✓ 15. " *niveum* (Martius, 1962) (2,5x) PARATIPO ♀
- ✓ 16. " *fairmairei* (Thoms., 1865) (2,5x) ♂
- ✓ 17. " *truncatum* (Thoms., 1865) (2,5x) ♂
- ✓ 18. " *trichocerum* (Martius, 1962) (2,5x) ♂
- ✓ 19. " *simillimum* Martius, 1969 (2,5x) ♂
- ✓ 20. " *litturatum* (Martius, 1960) (2,5x) ♂
- ✓ 21. " *graphicum* (Thoms., 1867) (2,5x) ♂
- ✓ 22. " *angulare* (Thoms., 1867) (2,5x) ♂
- ✓ 23. " *graphicum rubricolle* (Melzer, 1935) (2,5x) ♀
- ✓ 24. " *varipenne* Martius, 1969 (2,5x) PARATIPO ♀
- ✓ 25. " *tethys* (Thoms., 1867) (2,5x) ~~♀~~ ♂
- ✓ 26. " *callispilum* (Bates, 1870) (2x) ♀
- ✓ 27. " *mejaethron* (Martius, 1962) (2x) ♀
- ✓ 28. " *crassipede* Martius, parte VI (2x) HOL. ♂
- ✓ 29. " *circumflexum* Martius, parte VI (2x) PAR. ♂
- ✓ 30. " *divisum* Martius, 1969 (2x) PAR. ♂
- ✓ 31. " *femoratum* Martius, parte VI (2,5x) PAR. ♀
- ✓ 32. " *unifasciatum* (Goun., 1909) (2,5x) ♂
- ✓ 33. " *cleophile* (Thoms., 1865) (1,5x) ♂
- ✓ 34. " *meridionale* Martius, 1969 (1,5x) PAR. ♂



30) *Compsibidion quadrisignatum* (Thoms., 1865) (1000)

✓ FILME Nº 7

35. *Compsibidion quadrisignatum* (Thoms., 1865) ♂ (1.5x)
1. " ✓ *maronicum* (Thoms., 1867) ♂ (1.5x)
  1. " ✓ " " ♂ (1.5x)
  2. " ✓ *sommeri* (Thoms., 1865) ♂ (1.5x)
  3. " ✓ *zikari* (Melzer, 1933) (1.5x) ♀
  4. " ✓ *decoratum* (Goun., 1909) (2x) ♂
  5. " ✓ *mysticum* Martins, 1969 (2x) PAR. ♀
  6. " ✓ *charile* (Bates, 1870) (2x) ♀
  7. " ✓ *multizonatum* Martins, 1969 (2x) PAR. ♀
  8. " ✓ *rutha* (White, 1855) (2x) ♂
  9. " ✓ *thoracicum* (White, 1855) (2x) ♂
  10. " ✓ *basale* (White, 1855) (2x) ♀
  11. " ✓ *guarabarinum* (Martins, 1961) (2x)
  12. " ✓ *amarutei* (Martins, 1960) (2x) ♂
  13. " ✓ *vanum* (Thoms., 1867) (2x)
14. *Tetraopidion mucoriferum* (Thoms., 1867) (2x) ♂
15. " ✓ *geminatum* Martins, 1969 (2x) PAR. ♂
  16. " ✓ *tetraophtalmum* Martins, 1960 (2x) ~~PAR.~~ ♀ HOLOTIPO
17. *Cycnidolon gounellei* Rosch, 1908 (2x) ♂
18. " ✓ *obliquum* Martins, 1969 (2.5x) HOLOTIPO ♂
  19. " ✓ *caraceum* Martins, 1964 (2.5x) HOLOTIPO ♂
  20. " ✓ *eques* Thoms., 1864 (2.5x) ♂
  21. " ✓ *pedunculatum* Martins, 1969 (2.5x) ♂
  22. " ✓ *uriceum* Martins, 1960 (2.5x) ♂
  23. " ✓ *batesianum* (White, 1855) (2.5x) ♂
  24. " ✓ *approximatum* (White, 1855) (2.5x) ♂
  25. " ✓ *minutum* Martins, 1960 (2.5x) ♂
26. *Corimbion vulgare* Martins, 1909 (2.5x) Hol. ♂
26. " ✓ " " (2.5x) VAR. ♂
  27. " ✓ *supremum* Martins, 1969 (2x) PARATIPO ♀
  28. " ✓ *terminalum* Martins, 1969 (2x) Hol. ♀

29. *Heterocompsa* *nigripes* (Martius, 1962) (2,5x) ♀
30. " *truncaticornis* (Martius, 1962) (2,5x) PAR. ♂
31. " *seabrai* (Martius, 1962) (2,5x) PAR. ♂
32. *Opsibidion* *flavocinctum* (Martius, 1960) (2,5x) PAR. ♂
33. *Engyom* *fulvifemur* (Sev., 1834) (2,5x) ♂
33. " " " (2,5x) ♀
34. " *euchare* (Martius, 1960) (3x) ♂
35. " *carinatum* Martius, 1970 (3x) PAR. ♂

FILME Nº 8

- 1/6. *Engyom* *crassum* Martius, 1970 (3x) PAR. ♂
1. " *ludibriosum* Martius, 1970 (3x) PAR. ♂
2. " *aurantium* Martius, 1970 (3x) HOL. ♀
3. " *transversum* Martius, 1970 (3x) PAR. ♀
4. " *melanodactyla* (White, 1855) (3x) ♀
5. *Heterocompsa* *formosa* (Martius, 1962) (1,5x) PAR. ♀
6. " *geniculata* (Thoms., 1865) (1,5x) ♂
7. *Engyom* *quadrinotatum* Thoms., 1864 (3x) ♂
8. " *virgulatum* (Bates, 1879) (3x) ♂
9. *Microibidion* *exiguum* Martius, 1962 (3x)
10. " *rubicundulum* (Goun., 1913) (3x)
11. " *fluminense* (Martius, 1962) (3x)
12. " *muticum* (Martius, 1962) (3x)
13. " *exculptum* Martius, 1962 (3x) PAR.
14. *Xalitlea* *azteca* Lane, 1959 (3x) ♂
15. " *genuina* Martius, 1970 (3x) PAR. ♂
16. *Cicatrion* *coarcticolle* (Martius, 1962) ♂ (3x)
17. *Aphatum* *rufulum* (White, 1855) (3x)
18. *Dodecaibidion* *brasiliense* Martius, 1962 (3x)
19. *Compsa* *albopicta* Perty, 1832 (3x)
20. " *amoena* Fisher, 1837 (3x)

21. *Compsa* ✓ *multiguttata* Melzer, 1935 (3x)  
 22. " ✓ *inconstans* Gour., 1909 (3x)  
 23. " ✓ *macra* (Thomson, 1867) (3x)  
 24. " ✓ *albomaculata* Martins, 1962 (3x)  
 25. " ✓ *nebulosa* Martins, 1970 (3x)  
 26. " ✓ *montana* Martins, Parte VI (3x)  
 27. " ✓ *leucozona* (Bates, 1885) (3x) PARALECTÓTIPO ♂  
 28. " ✓ *quadriguttata* (White, 1855) (3x)  
 2829. " ✓ *diringshoferi* (Martins, 1960) (3x)  
 29 30. " ✓ *monrosi* (Prosen, 1961) (3x)  
 30. ? *Compsa* ✓ *latifascia* Martins, 1970 (2x)  
 31. ? " ✓ *flavofasciata* (Thomson, 1867) (2x)  
 32. *Neocompsa* ✓ *textilis* (Thomson, 1865) (2x)  
 33. " ✓ *spinosa* Martins, 1970 (2x) PARÁTIPO ♀  
 34. " ✓ *squalida* (Thomson, 1867) (2x)  
 35. " ✓ *comula* Martins, 1970 (2x) PAR. ♀  
 36. " ✓ *eburioidea* (Thomson, 1867) (2x)  
 37. " ✓ *ventricosa* (Bates, 1885) (2x) PARALECTÓTIPO

✓ FILME Nº 9

- 1/8. *Neocompsa* ✓ *habra* Martins, 1970 (2x) PAR.  
 1. " ✓ *mimosa* Martins (Parte VI) (2x)  
 2. " ✓ *quadriplagiata* (LeConte, 1873) (2x)  
 3. " ✓ *cylindrica* (F., 1792) (2x)  
 4. " ✓ *agnosta* Martins, 1970 (2x) PARÁTIPO ♂  
 5. " ✓ *wernerii* Martins, 1970 (2.5x) PARÁTIPO ♂  
 6. " ✓ *macroscina* Martins, 1970 (2.5x)  
 7. " ✓ *intricata* Martins, 1970 (2x)  
 8. " ✓ *alacris* (Bates, 1885) (2x)  
 9. " ✓ *tuberosa* Martins, 1970 (2x)  
 10. " ✓ *glaphyra* Martins, 1970 (2x) PAR. ♀  
 11. " ✓ *gaumeri* (Bates, 1892) (2x) PARALECTÓTIPO ♂

- 12. *Neocompsa* ✓ *exclamationis* (Thoms., 1860) (2x)
- 13. " ✓ *veracruzana* Martins (parte VI) (1.5x) PARATIPO ♀
- 14. " ✓ *ploma* Martins, 1970 (2x) PARATIPO ♀
- 15. " ✓ *chenuaki* Martins, 1970 (2x) PARATIPO ♀
- 16. " ✓ *mexicana* (Thoms., 1865) (2x)
- 17. " ✓ *serrana* (Martins, 1962) (2x)
- 18. " ✓ *vogli* Martins, 1970 (2x)
- 19. " ✓ *lineolata* (Bates, 1870) (2x)
- 20. " ✓ *albopilosa* (Martins, 1962) (2x)
- 21. " ✓ *tucumana* (Martins, 1962) (2x) PARATIPO
- 22. " ✓ *p. puncticollis* (LeConte, 1873) (2x)
- 23. " ✓ *tenuissima* (Bates, 1885) (2x)
- 24. " ✓ *clerochroa* (Thoms., 1867) (2x)
- 25. *Asynapteron* ✓ *glabriolum* (Bates, 1872) (2x)
- 26. " ✓ *ranthum* Martins, 1970 (2x) PARATIPO
- 27. " ✓ *equatorianum* (Martins, 1960) (2x)
- 28. " ✓ *inca* (Martins, 1962) (2x)
- 29. *Pygmodeon* ✓ *andreae* (Germar, 1824) (2x)
- 30. " ✓ *involutum* (Bates, 1870) (2x)
- 31. " ✓ *staurotum* Martins, 1970 (2x) PARATIPO ♀
- 32. " ✓ *validicorne* (Bates, 1885) (1.5x)
- 33. " ✓ *dilelum* (Bates, 1872) (2x)
- 34. " ✓ *obtusum* (Bates, 1874) (2x)
- 35. " ✓ *latevittatum* (Bates, 1885) (2x)
- 36. " ✓ *puniceum* Martins, 1970 (2x) PARATIPO ♀
- 37. " ✓ *mutabile* (Melzer, 1935) (2x)
- 38. " ✓ *boreale* Martins (parte VI) (2x) Hol. ♂

✓ FILME N° 10

- 1/15. ✓ *Stenoidion* ✓ *c. corallinum* (Bates, 1870) (3x)
- 1. " ✓ *corallinum chapadense* (Goun., 1909) (2x)
- 2. " ✓ *apicalum* (Martins, 1962) (2x) PAR. ♀
- 3. *Heterachthes* ✓ *apicalis* (Blair, 1933) (2x)

4. *Heterachthes* ✓ *phoracanthoides* (White, 1855) ♂ (2x)
5. " ✓ *dimidiatus* (Thoms., 1865) (2x)
6. " ✓ *pallidipennis* (Thoms., 1865) (2,5x)
7. " ✓ *lysiphonis* (Thoms., 1867) (2,5x)
8. " ✓ *siunctus* (Goun., 1909) (2,5x)
9. " ✓ *geatiosus* Martins, 1970 (2,5x) Hol. ♂
10. " ✓ *mediovittatus* Martins, 1962 (2,5x) PAR. ♂
11. " ✓ *pelonioides* (Thoms., 1867) (2,5x)
12. " ✓ *lateralis* Martins, 1962 (2,5x)
13. " ✓ *nigrocinctus* Bates, 1872 (2,5x)
14. " ✓ *fasciatus* Martins (parte VI) (2,5x)
15. " ✓ *saxguttatus* (Serv., 1834) (2,5x)
16. " ✓ *symbolus* Martins, 1970 (2,5x) PAR. ♂
17. " ✓ *congener* Martins, 1965 (2,5x)
18. " ✓ *f. flavicornis* (Thoms., 1865) (2,5x)
19. " ✓ *flavicornis* *saxsiguatus* (Thoms., 1865) (2,5x)
20. " ✓ *flavicornis* forma intermed. (2,5x)
21. " ✓ " *donariensis* (Thoms., 1865) (2,5x)
22. " ✓ *inustus* Goun., 1909 (2,5x)
23. " ✓ *ebenus* Newm., 1840 (2,5x)
24. " ✓ *similis* Martins, 1965 (2,5x)
25. " ✓ *siguaticollis* (Thoms., 1865) (2,5x)
26. " ✓ *w-notatus* Linsl., 1935 (2,5x)
27. " ✓ *polingi* Fall, 1925 (2,5x)
28. " ✓ *nobilis* LeConte, 1862 (2,5x)
29. " ✓ *erineus* Martins, 1970 (2,5x) PARATIPO ♀
30. " ✓ *quadrimaculatus* Hald., 1847 (2,5x)
31. " ✓ *concretus* Martins, 1970 (3x) PARATIPO ♀
32. " ✓ *x-notatus* (Linsl., 1935) (3x)
33. " ✓ *plagiatus* (Burm., 1865) (3x)
34. " ✓ *tenellus* (Burm., 1865) (3x)
35. " ✓ *designatus* Martins, 1970 (3x) PAR. ♀
36. " ✓ *aeneolus* Bates, 1885 (3x)
37. " ✓ *rugosicollis* Martins, 1970 (3x) PAR. ♂
38. " ✓ *viticulus* Martins, 1970 (2x) PAR. ♂

✓ FILME Nº 11

- ✓ 39. *Heterachthes leucoacnus* Martins, 1970 (2x) PAR. ♂
- ✓ 1. " *integripennis* (Bates, 1885) (2x)
- ✓ 2. *Gnomidolon nanum* Martins, 1962 (3x) HOLOTIPO ♂
- ✓ 3. *Corimbion nigroapicalum* Martins, 1970 (2x) Hol. ♀
- ✓ 4. *Neocompsa lenticula* Martins, 1970 (2x) Hol. ♀
- ✓ 5. *Thoracibidion insigne* Martins (2x) PAR. (♀?)
- ✓ 6. *Notosphaeridion umbrinum* Martins (2x) HOLOTIPO ♂
- ✓ 7. *Tropidion hispidum* Martins (2x) HOL. ♂
- ✓ 8. *Ophthalmibidion luxum* Martins (2x) HOL. ♂
- ✓ 9. ~~Engy~~ *Neocompsa sinaloana* (Linsl.) (2x) PARATIPO
- ✓ 10. *Hexoplon navajasi* Martins (2x)
- ✓ 11. *Engyum linsleyi* Martins (3x) HOLOTIPO ♀
- ✓ 12. *Compsibidion derivativum* Martins (3x) HOLOTIPO ♂
- ✓ 13. *Microibidion mimeticum* Martins (3x)
- ✓ 14. *Tropidion lepidum* Martins (3x)
- ✓ 15. *Compsibidion paradoxum* Martins (3x)
- ✓ 16. *Minibidion craspedum* Martins (3x)
- ✓ 17. *Gnomidolon fuchsii* Martins (3x)
- ✓ 18. *Heterachthes histricosus* Martins (3x)
- ✓ 19. *Neocompsa theegema* Mart. (3x)
- ✓ 20. *Tropidion aurulentum* Mart. (2x)
- ✓ 21. *Gnomidolon picticorne* Mart. (2x)
- ✓ 22. " *lomentosum* Mart. (2x)
- ✓ 23. *Perissomerus flammeus* Mart. (2x)
- ✓ 24. *Compsibidion tuberosum* Mart. (2x)
- ✓ 25. " *muricatum* Mart. (2x)
- ✓ 26. *Neocompsa magnifica* Mart. (2x)
- ✓ 27. *Heterachthes spilotus* Mart. (2x)
- ✓ 28. " *vauriae* Mart. (2x)

↓  
 spp. a  
 publicar  
 no 1º  
 suplemento

✓ 29. *Luscosmodium beaveri* Mart. 1970 ( )

A ser publicado na Rev. bras. ent. vol. 14

- ✓ 30. *Nesosmodicum gracile* (Melz., 1923) (3x)
- ✓ 30. *Erlandia inopinata* Auriv., 1904 (2x)
- ✓ 31. *Temnopsis rufithorax* Auriv., 1893 (1x) ♂ e ♀
- ✓ 32. " *signaticornis* Melz., 1920 (1,5x) CÓTIPO
- ✓ 33. *Ochroeme aspericollis* Mart., Chems. & Lind., 1966 (2x) PARATÍPO

PIEZOCERINI

— x —

- ✓ 34. *Colynthaea coriacea* (Erichs., 1847) (1,5x) HOLOTIPO ♀
- ✓ 35. *Cicatrixocera bilistrata* (Lane, 1959) (2x) PARATÍPO ♀

x

FILME Nº 12

- ✓ 1,5. *Piezarina smaragdina* Martins (1,5x)
- ✓ 1. *Pseudocolynthaea pectoralis* Martins (2x)
- ✓ 2. *Hemilissopsis clenchi* Lane (2x)
- ✓ 3. *Zelliboria daedalea* (Perty, 1832) (1,5x)
- ✓ 4. *Othrocerus aethes* Martins (3,5x)
- ✓ 5. *Haruspex bivittis* (White, 1855) (1x)
  - usq. - forma típica
  - "agustus" Melzer "CÓTIPO"
  - "inermis" Belon

2 vês

- ✓ 6. *Haruspex bivittis* (White, 1855) (1x) - variações.
- ✓ 7. *Haruspex daithmus* Martins (2x)
- ✓ 8. *Haruspex ulatus* Lane (1,5x)
- ✓ 9. " *mentitus* Martins (3x)
- ✓ 10. " *pretilis* Martins (2,5x)
- ✓ 11. *Thyellocerus fulgidipennis* (Coun., 1909) (2,5x)
- ✓ 12. *Alienosternus cristatus* (Zajc.) (3x)
- ✓ 13. " *metallicus* Martins (3x)
- ✓ 14. " *simplex* Martins (3x)
- ✓ 15. *Mignocera flavicauda* (Bates) (3x) PARALLECTÓTIPO
- ✓ 16. *Piezasteria sterualis* Martins (3x)
- ✓ 17. *Gorybia venefiella*, sp.n., Martins (3x)
- ✓ 18. " *chontalensis* (Bates) (3x)

- ✓ 19. *Hemilissa opaca* Mart. (3x)
- ✓ 20. " *ondulaticollis* Zapf., 1960 (3x) HOLOTIPO
- ✓ 21. " *catapotia* Martins (3x)
- ✓ 22. " *rufa* Melzer (3x)
- ✓ 23. *Gorybia pilosa* Martins (3x)
- ✓ 24. " *instita* Martins (3x)
- ✓ 25. " *semiopaca* Martins (3x)
- ✓ 26. " *suturella* Martins (3x)
- ✓ 27. " *orygma* Martins (3x)
- ✓ 28. " *hiruntella* Martins (3x)
- ✓ 29. " *apatheia* Martins (3x)
- ✓ 30. " *stomias* Martins (3x)
- ✓ 31. " *palpalis* Martins (3x)
- ✓ 32. " *pallida* Martins (3x)
- ✓ 33. " *adiaphora* Martins (3x)
- ✓ 34. " *libialis* Martins (3x)
- ✓ 35. " *minima* Martins (3x)
- ✓ 36. " *umbella* Martins (3x)
- ✓ 37. " *zonula* Martins (3x)

3

— x —  
FILME Nº 13

- 2/3. *Gorybia alboapex* Martins (3x)
- 1/2x " *thoracica* Martins (3x)
- 2. " *acuta* Martins (3x)
- 3. " ~~prostrata~~ *lissocota* Martins (3x)
- 4. " *calciroga* Martins (3x)
- 5. " *armata* Martins (3x)
- 6. " *procura* Martins (3x)
- 7. " *reclusa* Martins (3x)
- 8. " *proxima* " (2x)
- 9. " *invicta* " (2x)
- 10. *Phaacidodes divinus* Martins (3x)
- 11. " *suturalis* (Goun., 1909)
- 12. " *rubiginosus* v. *apicalis* (Goun., 1909)



13. *Acruspex spinipennis* (Zajc.) (3x) HOLOTIPO
14. *Piezogenista callytra* Martins (3x)
15. *Piezocera gratiosa* Lam. (3x)
16. " *avena* Martins (3x)
17. " *araujósilvai* Melzer (3x) HOLOTIPO
18. " *nodicollis* Melzer (3x) COTIPO
19. " *flavipennis* Zajc. (3x) HOLOTIPO
20. " *aenea* (Bates) (3x)
21. " *serraticollis* Linell (3x)
22. " *monochroa* Bates (3x) COTIPOS
23. " *ataxia* Martins (3x)
24. " *costula* Martins (3x)
25. " *festiva* Martins (3x)

- 
26. *Placoeme vitticollis* Chems. & Linse. (1,5x)
  27. *Austroeme fissithorax* (Goun., 1909) (2x)
  28. *Sydax stamineus* Lacord., 1879 (2x)
  29. *Martinsia scabrosa* Chems. & Linse., 1967 (1x)
  30. *Methia inculta* Lane (3x) (A ser designado lectotipo)
  31. *Niophis antennata* Mart., Chems. & Linse., 1966 (3x) PARATIPO
  32. " *picticornis* (Martins, 1964) HOLOTIPO (3x)
  33. *Ectenusa fenestrata* (Thomson, 1865) (2x)
  34. " *quadrispinosa* Melzer, 1931 (1x) comp. c/ tipo pl Lane
  35. " *argodi* Belon, 1902 (2x)
  36. " *villaradi* Belon, 1902 (2x)
  37. *Bomarion boavidai* Martins, (2x) HOLOTIPO
  38. " *caprenatum* Martins, 1962 (2x)

✓ FILME Nº 14

- 1/2. *Ochrus tippmanni* (Lane, 1955) (2x) HOLOTIPO
1. *Bomarion lineatum* (Goun., 1909) (2x)
2. *Ochrus grammoceres* Lacord., 1869 (2x)
3. *Spathopijus baculus* Goun., 1913 (1x)
4. *Scapanopygus cinereus* Goun., 1913 (1x)

5. *Pygmatocenus elegans* Lane, 1939 (2/3x) HOLOTIPO
6. *Coccodermus sicki* Lane, 1949 (2/3x) HOLOTIPO
7. " *spinosus* Lane & Martins (2/3x) HOLOTIPO
8. " *teixeirai* Lane, 1939 (2/3x) HOLOTIPO
9. *Bothriospila elegans* Auriv., 1923 (2/3)
10. *Pleiarthrocerus opacus* Bruch, 1914 (1x)
11. *Coleoxestia armata* Goun., 1909 (1,25x)
12. *Coleoxestia nigra* Lane, 1955 (1x) PARATIPO
13. *Amphelictus milleri* Chem. & Lindl. PARATIPO (1x)
14. *Eburodacrys rhabdota* Martins, 1967 (1,5x) HOLOTIPO
15. " *cheilaria* Martins, 1967 (2x) HOLOTIPO
16. *Nyssicostylus melzeri* Chems. & Martins (2x) HOLOTIPO
17. *Nephalius dubius* Lane, 1951 (1x) HOLOTIPO
18. *Paramallocera squamifera* Martins, 1967 (2x) HOLOTIPO
19. *Aneuthetochorus divestitus* (Martins) (3x) PARATIPO
20. " *simplex* Martins (3x) HOLOTIPO
21. *Alciptaquilon unicolor* Martins, 1970 HOLOTIPO (3x)
22. *Neocorus diversipennis* Belon, 1903 (3x)
23. *Neocorus zikani* Melzer, 1920 (3x)
24. " *ibidionoides* (Ferv., 1834) (3x)
25. *Neocoridolon borymeieri* Melzer, 1931 (2x)
26. *Callisphyrus uretai* Cerda, 1963 (2x) PARATIPO
27. *Hephaestion auratus* Cerda (1x) PARATIPO
28. " *bullocki* Cerda (1,5x) PARATIPO
29. *Rhathynoscus tauruayi* Lane, 1936 (1x) HOLOTIPO
30. *Oxyostoma erythrocallum* Lane, 1940 (2x) HOLOTIPO
31. *Lygrocharis neivai* Melzer, 1927 (3x) COTIPO(?)
32. *Chrysoprasis flavicollis* Martins, 1962 (2x) HOLOTIPO (vide *Callidium* *bicolor* F.)
33. *Microspiloma dorilis* ??? Batu, 1867 (2x)
34. *Stenygra holmgreni* Auriv., 1909 (1,5x)
35. *Corallancila neotropica* Tippmann (2x) PARATIPO
36. *Detaspis rufostigma* Bates, 1892 (1,5x)
37. *Beaveria uacta* Lane, 1970 (1,5x) HOLOTIPO
38. *Recchia ludibriosa* Lane (1,5x) HOLOTIPO ♀